



**HIKVISION®**



لیست قیمت  
محصولات هایک ویژن

زمستان ۱۴۰۲



☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

🌐 [www.atineh.com](http://www.atineh.com)



آتیا نگر الکترونیک







Model	DS-2CD1023G0-IUF	DS-2CD2027G2-L	DS-2CD2021G1-I	DS-2CD2023G2-I
Picture				
Technology	2 MP Network Camera	2 MP ColorVu Network Camera	2 MP Mini Bullet Network Camera	2 MP Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	Color: 0.01 Lux	0.0005 Lux	Color: 0.005 Lux	0.005 Lux
IR Distance	Up to 30 m	up to 40 m	Up to 30 m	Up to 40 m
Lens	2.8 mm,4 mm	2.8mm Fixed focal lens	2.8 mm	2.8 mm
Video Compression	Main Stream: H.265/H.264 Sub-Stream: H.265/H.264/MJPEG	H.265+	H.265+	H.265+
Max. Resolution	1920 × 1080	1920 × 1080	1920 × 1080	1920 × 1080
Day/Night	IR cut filter	White light	IR cut filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	Digital WDR	120dB	Digital WDR	120dB
Price	40,770,000	71,040,000	49,980,000	61,240,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD2025FHWD-I	DS-2CD2126G2-ISU	DS-2CD2123G2-IU	DS-2CD2327G2-L
Picture				
Technology	2 MP High Frame Rate Network Camera	2 MP AcuSense Network Camera	2 MP Built-in Mic Network Camera	2 MP ColorVu Network Camera
Camera Type	Fixed Mini Bullet	Fixed Dome	Fixed Dome	Fixed Turret
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	0.005 Lux	0.002 Lux	0.005 Lux	Color: 0.0005 Lux
IR Distance	Up to 30 m	Up to 30 m	Up to 30 m	up to 30 m
Lens	2.8 mm	2.8 mm	2.8/4 mm	2.8mm Fixed focal lens
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	1920 × 1080	1920 × 1080	1920 × 1080	1920 × 1080
Day/Night	IR Cut Filter	IR Cut Filter	IR Cut Filter	White light
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IK10, IP67	IK10, IP67	IP67
WDR	120dB	120dB	120 dB	120dB
Price	70,060,000	81,540,000	62,810,000	81,110,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD2347G2-L	DS-2CD2043G2-I	DS-2CD2043G2-IU	DS-2CD2046G2-I
Picture				
Technology	4 MP ColorVu Turret Network Camera	4 MP WDR Network Camera	4 MP AcuSense Network Camera	4 MP AcuSense Network Camera
Camera Type	Fixed Turret	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/1.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Min. Illumination	Color: 0.0005 Lux	Color: 0.005 Lux	Color: 0.005 Lux	Color: 0.003 Lux
IR Distance	Up to 30 m	up to 40 m	up to 40 m	up to 40 m
Lens	2.8 mm	2.8,4 mm Fixed focal lens	2.8 Fixed focal lens	2.8 Fixed focal lens
Video Compression	H.265/H.264/H.264+/H.265+/MJPEG	H.265+	H.265+	H.265+
Max. Resolution	2688 × 1520	2688 × 1520	2688 × 1520	2688 × 1520
Day/Night	IR cut filter	IR cut filter	ICR Cut	ICR Cut
Power Supply	12VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	130 dB	120dB	120dB	120dB
Price	78,910,000	66,560,000	79,110,000	72,370,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	DS-2CD2T43G2-2I	DS-2CD2T43G2-4I	DS-2CD1143G0-IUF	DS-2CD2346G2-IU
Picture				
Technology	4 MP WDR Network Camera	4 MP WDR Network Camera	4MP Build-in Mic Network Camera	4 MP AcuSenseNetwork Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Dome	Fixed Turret
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" progressive scan CMOS
Min. Illumination	Color: 0.005 Lux	Color: 0.005 Lux	0.01 Lux	Color: 0.003 Lux
IR Distance	up to 60 m	up to 80 m	Up to 30 m	Up to 30 m
Lens	2.8, 4 mm Fixed focal lens	2.8, 4 mm Fixed focal lens	2.8 mm	2.8 mm,4 mm
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	2688 × 1520	2688 × 1520	2560 × 1440	2688 × 1520
Day/Night	ICR Cut	ICR Cut	IR cut filter	IR cut filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	120dB	120dB	120 dB	120 Db
Price	66,970,000	72,380,000	45,440,000	76,820,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD2147G2	DS-2CD1347G0-L	DS-2CD1357G0-L	DS-2CD1153G0-I
Picture				
Technology	4 MP ColorVu Network Camera	4 MP ColorVu Network Camera	5 MP ColorVu Network Camera	5 MP Network Camera
Camera Type	Fixed Dome	Fixed Turret	Fixed Turret	Fixed Dome
Image Sensor	1/1.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" progressive scan CMOS
Min. Illumination	Color: 0.0005 Lux	Color: 0.001 Lux	0.001 Lux	color: 0.01Lux
IR Distance	up to 30 m	Up to 30 m	Up to 30 m	up to 30 m
Lens	2.8 Fixed focal lens	2.8 mm	2.8/4 mm	2.8, 4 mm Fixed focal lens
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	2688 × 1520	2560 × 1440	2560 × 1920	2560 × 1920
Day/Night	ICR Cut	24/7 colorful imaging	24/7 colorful imaging	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC ± 25%
Protection	IP67 , IK10	IP67	IP67	IK10, IP67
WDR	130dB	120 dB	120dB	120 dB WDR
Price	86,980,000	81,650,000	58,790,000	54,540,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD1053G0-I	DS-2CD2063G2-I	DS-2CD2T66G2-4I	DS-2CD2066G2-I
Picture				
Technology	5 MP Network Camera	6 MP AcuSense Network Camera	6 MP AcuSense Network Camera	6 MP AcuSense Network Camera
Camera Type	Fixed Bullet	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS
Min. Illumination	Color: 0.01 Lux	Color: 0.005 Lux	Color: 0.003 Lux	Color: 0.005 Lux
IR Distance	Up to 30 m	Up to 40 m	Up to 80 m	Up to 40 m
Lens	2.8 mm,4 mm	2.8 mm	2.8/4 mm	2.8/4 mm
Video Compression	H.265+/H.265/H.264+/H.264	H.265+	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
Max. Resolution	2560 × 1920	3200 × 1800	3200 × 1800	3200 × 1800
Day/Night	IR cut filter	IR Cut Filter	IR cut filter	IR cut filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC PoE
Protection	IP67	IP67	IP67	IP67
WDR	120dB	120dB	120 dB	120 dB
Price	51,940,000	73,050,000	94,210,000	80,220,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	DS-2CD2166G2-ISU	DS-2CD2T87G2-L	DS-2CD2T85G1-I8	DS-2CD2086G2-I
Picture				
Technology	6 MP AcuSense Network Camera	4K ColorVu Network Camera	4K DarkFighter Network Camera	4K AcuSense Network Camera
Camera Type	Fixed Dome	Fixed Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/2.4" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Min. Illumination	color: 0.005 Lux	color: 0.0005 Lux	color: 0.008 Lux	Color: 0.003 Lux
IR Distance	Up to 30 m	Up to 60 m	Up to 80 m	Up to 40 m
Lens	2.8 mm	2.8 mm	2.8/4/6 mm	2.8/4 mm
Video Compression	H.265+	H.265+	H.265+	H.265+
Max. Resolution	3200 × 1800	3840 × 2160	3840 × 2160	3840 × 2160
Day/Night	IR Cut Filter	24/7 colorful imaging	IR Cut Filter	IR cut filter
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12 VDC ± 25%
Protection	IK10, IP67	IP67	IP67	IP67
WDR	120dB	130dB	120dB	120 dB
Price	87,390,000	200,680,000	134,730,000	101,040,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD2083G2-I	DS-2CD2085G1-I	DS-2CD2T86G2-4I	DS-2CD2T85G1-I5
Picture				
Technology	8 MP AcuSense Network Camera	4K DarkFighter Network Camera	4K AcuSense Network Camera	4K DarkFighter Network Camera
Camera Type	Fixed Bullet	Fixed Mini Bullet	Fixed Bullet	Fixed Bullet
Image Sensor	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS
Min. Illumination	Color: 0.005 Lux	Color: 0.008 Lux	Color: 0.003 Lux	Color: 0.008 Lux
IR Distance	Up to 40 m	Up to 30 m	Up to 80 m	Up to 50 m
Lens	2.8/4 mm	2.8/4/6 mm	2.8/4 mm	2.8/4/6 mm
Video Compression	H.265+	H.265+/H.265/H.264+/H.264	H.265+	H.265+
Max. Resolution	3840 × 2160	3840 × 2160	3840 × 2160	3840 × 2160
Day/Night	IR cut filter	IR cut filter	IR cut filter	IR cut filter
Power Supply	12 VDC ± 25%	12 VDC PoE	12 VDC ± 25%	12 VDC ± 25%
Protection	IP67	IP67	IP67	IP67
WDR	120 dB	120 dB	120 dB	120 dB
Price	79,190,000	117,160,000	120,150,000	104,260,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2CD2185FWD-I	DS-2CD2186G2-ISU	DS-2CD2H25FWD-IZS	DS-2CD1643G0-IZ
Picture				
Technology	4K Network Camera	4K Acusense Network Camera	2 MP DarkFighter Network Camera	4 MP Network Camera
Camera Type	Fixed Dome	Fixed Dome	Motorized Turret	Motorized Bullet
Image Sensor	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Min. Illumination	Color: 0.01 Lux	Color: 0.003 Lux	0.005 Lux	0.005 Lux
IR Distance	Up to 30 m	Up to 30 m	Up to 30 m	Up to 50 m
Lens	2.8/4/6/8/12 mm	2.8/4 mm	2.8 to 12 mm, Motorized	2.8 to 12 mm
Video Compression	H.265+/H.265/H.264+/H.264	H.265+	H.265+	H.265+
Max. Resolution	3840 × 2160	3840 × 2160	1920 × 1080	2560 × 1440
Day/Night	IR cut filter	IR cut filter	IR cut filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC ± 25%	12 VDC PoE	12 VDC PoE
Protection	IK10, IP67	IK10, IP67	IP66, IK10	IP67
WDR	120 dB	120 dB	120dB	120dB
Price	108,460,000	108,960,000	138,870,000	75,030,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	DS-2CD2643G2-IZS	DS-2CD1743G0-IZ	DS-2CD2743G2-IZS	DS-2CD2666G2-IZS
Picture				
Technology	4 MP AcuSense Network Camera	4 MP Network Camera	4 MP AcuSense Network Camera	6 MP AcuSense Network Camera
Camera Type	Motorized Bullet	Motorized Dome	Motorized Dome	Motorized Bullet
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS
Min. Illumination	0.005 Lux	0.005 Lux	color: 0.005 Lux	color: 0.003 Lux
IR Distance	Up to 50 m	Up to 50 m	Up to 40 m	Up to 60 m
Lens	2.8 to 12 mm	2.8 to 12 mm	2.8 to 12 mm	2.8 to 12 mm
Video Compression	H.265+	H.265+	H.265+/H.265/H.264+/H.264	H.265+
Max. Resolution	2688 x 1520	2560 x 1440	2688 x 1520	3200 x 1800
Day/Night	IR Cut Filter	IR Cut Filter	IR cut filter	IR Cut Filter
Power Supply	12 VDC PoE	12 VDC PoE	12VDC, PoE+	12 VDC PoE
Protection	IK10, IP67	IK10, IP67	IK10, IP66	IK10, IP66
WDR	120dB	120dB	120 dB WDR	120dB
Price	124,710,000	91,340,000	149,000,000	152,640,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	DS-2CD2686G2-IZS	DS-2CD2443G0-IW	DS-2DE4225IW-DE-T5	DS-2SE4C225MWG-E
Picture				
Technology	4K AcuSense Network Camera	4 MP Indoor WDR Network Camera	2 MP 25X DarkFighter IR Network	TandemVu 4-inch 2 MP 25X Colorful
Camera Type	Motorized Bullet	Fixed Cube	Speed Dome	Network Speed Dome
Image Sensor	1/1.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	[Bullet channel]: 1/2.8" Progressive Scan CMOS; [PTZ channel]: 1/2.8" progressive scan
Min. Illumination	0.003 Lux	Color: 0.01Lux	0.005 Lux	[Bullet channel]: 0.0005 Lux [PTZ channel]: Color: 0.005 Lux
IR Distance	Up to 60 m	10 m	100 m	[PTZ channel]: up to 100 m; [Bullet channel]: up to 30 m
Lens	2.8 to 12 mm, Motorized	2.8/4 mm	4.8 mm to 120 mm	[Bullet channel]: 2.8 mm; [PTZ channel]: 4.8 to 120 mm, 25 × optical
Video Compression	H.265+	H.265+	H.265+	H.265;H.264;MJPEG
Max. Resolution	3840 × 2160	2688 × 1520	1920 × 1080	1920 × 1080
Day/Night	IR cut filter	IR cut filter	IR cut filter	ICR
Power Supply	12 VDC PoE	12 VDC PoE	12 VDC PoE	12VDC, PoE+
Protection	IP66, IK10	—	IP66	IP66
WDR	120dB	120 dB WDR	120 dB WDR	120 dB WDR
Price	181,590,000	62,470,000	219,620,000	288,340,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-2SE4C425MWG-E	DS-2DE4425IW-DE-T5	DS-2DE7A432IW-AEB(T5)
Picture			
Technology	TandemVu 4-inch 4 MP 25X Colorful	4-inch 4 MP 25X DarkFighter IR Network	7-inch 4 MP 32X DarkFighter
Camera Type	Network Speed Dome	Speed Dome	Network Speed Dome
Image Sensor	[Bullet channel]: 1/3" Progressive Scan CMOS; [PTZ channel]: 1/2.8" progressive scan	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Min. Illumination	[Bullet channel]: 0.0005 Lux [PTZ channel]: Color: 0.005 Lux	0.005 Lux	color: 0.005 Lux
IR Distance	[PTZ channel]: up to 100 m; [Bullet channel]: up to 30 m	100 m	200 m
Lens	[Bullet channel]: 2.8 mm; [PTZ channel]: 4.8 to 120 mm, 25 × optical	4.8 mm to 120 mm	5.9 mm to 188.8 mm
Video Compression	H.265;H.264;MJPEG	H.265+	H.265+/H.265/H.264+/H.264
Max. Resolution	2560 × 1440	2560 × 1440	2560 × 1440
Day/Night	ICR	IR cut filter	IR cut filter
Power Supply	12VDC, PoE+	12 VDC PoE	24 VAC
Protection	IP66	IP66	IK10, IP66
WDR	120 dB WDR	120 dB WDR	120 dB WDR
Price	<b>329,000,000</b>	<b>252,150,000</b>	<b>420,980,000</b>





☎ ۰۲۱-۹۱۰۰۶۰۰۸





☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 



تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	DS-7604NI-K1	DS-7604NI-K1/4P	DS-7608NI-K1	DS-7608NI-K1/8P
Picture				
Description	4-ch 1U 4K NVR	4-ch 1U 4 PoE 4K NVR	8-ch 1U 4K NVR	8-ch 1U 8 PoE 4K NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+,H.265,H.264+,H.264,MPEG4	H.265+/H.265/H.264+/H.264
IP Video Input	4-ch	4-ch	8-ch	8-ch
Bandwidth	40 Mbps 80 Mbps	40 Mbps 80 Mbps	80 Mbps 80 Mbps	80 Mbps 80 Mbps
Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF
HDMI Output	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	4K (4096 × 2160)/30 Hz
Network Interface	1, RJ-45 10/100/1000 Mbps	1, RJ-45 10/100 Mbps	1, RJ-45 10/100/1000 Mbps	1, RJ-45 10/100 Mbps self-adaptive Ethernet interface
SATA	1 SATA interface	1 SATA interface	1 SATA interface	1 SATA interface
Capacity	Up to 6TB	Up to 8TB	Up to 6TB	Up to 8TB
USB Interface	2 × USB 2.0	2 × USB 2.0	2 × USB 2.0	2 × USB 2.0
Alarm In/Out	N/A	N/A (4/1 is optional)	N/A	N/A (4/1 is optional)
Power Supply	12 VDC	48 VDC, 1.35 A	12 VDC	48 VDC, 1.88 A
Price	53,520,000	82,740,000	68,340,000	126,190,000



Model	DS-7616NI-Q2	DS-7616NXI-K2	DS-7616NXI-K2/16P	DS-7716NXI-K4
Picture				
Description	16-ch 1U 4K NVR	16-ch 1U K Series AcuSense 4K NVR	16-ch PoE 1U K Series AcuSense 4K NVR	16-ch 1.5U K Series AcuSense 4K NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
IP Video Input	16-ch	16-ch	16-ch	16-ch
Bandwidth	160 Mbps 80 Mbps	160 Mbps 160 Mbps	160 Mbps 160 Mbps	160 Mbps 160 Mbps
Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF
HDMI Output	1-ch, 4K (4096 x 2160)/30 Hz	1-ch, 4K (3840 x 2160)/30Hz	1-ch, 4K (3840 x 2160)/30Hz	4K (3840 x 2160)/30Hz
Network Interface	1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface	1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface	16, RJ-45 10/100 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100 Mbps self-adaptive Ethernet interface
SATA	2 SATA interface	2 SATA interface	2 SATA interface	4 SATA interface
Capacity	Up to 8TB	Up to 10TB	Up to 10TB	Up to 10TB
USB Interface	2 x USB 2.0	Front panel: 1 x USB 2.0; Rear panel: 1 x USB 2.0	Front panel: 2 x USB 2.0; Rear panel: 1 x USB 2.0	Front panel: 2 x USB 2.0 Rear panel: 1 x USB 3.0
Alarm In/Out	N/A (4/1 is optional)	4/1	4/1	16/4 (16/9 is optional)
Power Supply	12 VDC, 3.33 A	13 VDC, 3.33 A	100 to 240 VAC	100 to 240 VAC
Price	89,810,000	94,280,000	189,970,000	192,660,000





Model	DS-7616NI-K2/16P	DS-7732NXI-K4	DS-7732NI-K4/16P	IDS-9632NXI-I8/4F
Picture				
Description	16-ch 1U 16 PoE 4K NVR	32-ch 1.5U K Series AcuSense 4K NVR	32-ch 1.5U 4K NVR	32-ch 2U 4K DeepinMind NVR
Decoding Format	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264	H.265+/H.265/H.264+/H.264
IP Video Input	16-ch	32-ch	32-ch	32-ch
Bandwidth	160 Mbps 160 Mbps	256 Mbps 160 Mbps	256 Mbps 160 Mbps	320 Mbps 256 Mbps
Recording Resolution	8MP/6MP/5MP/4MP/3MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/QCIF	12 MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF	12MP/8 MP/6 MP/5 MP/4 MP/3 MP/1080p/UXGA/720p/VGA/4CIF/DCIF/2CIF/CIF/OCIF
HDMI Output	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz	4K (3840 × 2160)/30Hz
Network Interface	1, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface	16, RJ-45 10/100 Mbps self-adaptive Ethernet interface	2, RJ-45 10/100/1000 Mbps self-adaptive Ethernet interface
SATA	2 SATA interface	4 SATA interface	4 SATA interface	8 SATA interface
Capacity	Up to 10TB	Up to 10TB	Up to 10TB	Up to 10TB
USB Interface	Front panel: 1 × USB 2.0; Rear panel: 1 × USB 2.0	Front panel: 2 × USB 2.0; Rear panel: 1 × USB 3.0	Front panel: 2 × USB 2.0 Rear panel: 1 × USB 3.0	Front panel: 2 × USB 2.0 Rear panel: 1 × USB 3.0
Alarm In/Out	4/1	16/4 (16/9 is optional)	16/4 (16/8 is optional)	16/4 (16/8 is optional)
Power Supply	100 to 240 VAC	100 to 240 VAC	100 to 240 VAC	100 to 240 VAC
Price	187,860,000	231,100,000	334,310,000	3,213,890,000











Model	DS-2CE16D0T-ITPF	DS-2CE16D0T-EXIF	DS-2CE16D0T-ITFS	DS-2CE16D0T-ITFS
Picture				
Description	2 MP Fixed Mini Bullet Camera	2 MP Fixed Mini Bullet Camera	2 MP Audio Bullet Camera	2 MP Audio Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm fixed lens	2.8 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.01 Lux	0.02 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0° to 360°; Tilt: 0° to 90°; Rotate: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°
Day& Night	ICR	IR Cut Filter	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 25 m	Up to 20 m	Up to 30 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP66	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	10,430,000	10,890,000	17,620,000	17,410,000




Model	DS-2CE16D0T-ITPFS	DS-2CE16D0T-ITF	DS-2CE17D0T-IT1F	DS-2CE17D0T-IT3F
Picture				
Description	2 MP Audio Fixed Mini Bullet Camera	2 MP Audio Bullet Camera	2 MP Bullet Camera	2 MP Fixed Bullet Camera
Lens	2.8 mm, 3.6 mm, 6 mm fixed lens	3.6 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0° to 360°; Tilt: 0° to 180°; Rotate: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°
Day& Night	ICR	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 25 m	Up to 30 m	Up to 30 m	Up to 50 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	16,390,000	14,190,000	18,050,000	23,160,000

Model	DS-2CE16D3T-IT3F	DS-2CE16D3T-ITF	DS-2CE10DF0T-F	DS-2CE10DF3T-F
Picture				
Description	2 MP Ultra Low Light Fixed Bullet Camera	2 MP Ultra Low Light Fixed Mini Bullet Camera	2 MP ColorVu Fixed Mini Bullet Camera	2 MP ColorVu Fixed Mini Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm and 6 mm	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.005 lux	0.005 lux	0.001 Lux	0.0005 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 180°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 90°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°
Day& Night	IR cut filter	IR cut filter	24/7 color imaging	24/7 Color Imaging
WDR	≥ 120 dB	≥ 120 dB	Digital WDR	130 dB
Max. IR Range	Up to 50 m	Up to 30 m	Up to 20 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS;1 HD analog output	Switchable TVI/AHD/CVI/CVBS;1 HD analog output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color	Color
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	22,240,000	21,660,000	32,130,000	24,300,000

Model	DS-2CE12DF3T-F	DS-2CE10DF3T-FS	DS-2CE12DF3T-FS	DS-2CE76D0T-ITMF
Picture				
Description	2 MP ColorVu Fixed Bullet Camera	2 MP ColorVu Audio Fixed Mini Bullet Camera	2 MP ColorVu Audio Fixed Bullet Camera	2 MP Fixed Turret Camera
Lens	3.6 mm fixed lens	2.8 mm fixed lens	2.8 mm fixed lens	2.8 mm fixed lens
Min.Illumination	0.0005 Lux	0.0005 Lux	0.0005 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	24/7 Color Imaging	24/7 Color Imaging	24/7 Color Imaging	ICR
WDR	130 dB	130 dB	130 dB	Digital WDR
Max. IR Range	Up to 40 m	Up to 20 m	Up to 40 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Color	Color	Color	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	<b>33,470,000</b>	<b>34,070,000</b>	<b>38,330,000</b>	<b>16,440,000</b>





Model	DS-2CE76D0T-EXIPF	DS-2CE76D0T-ITPF	DS-2CE76D0T-ITPFS	DS-2CE76D0T-ITMFS
Picture				
Description	2 MP Indoor Fixed Turret Camera	2 MP Indoor Fixed Turret Camera	2 MP Turret Camera	2 MP Audio Turret Camera
Lens	2.8 mm fixed lens	2.8 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens	2.8 mm fixed focal lens
Min.Illumination	0.02 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	IR Cut Filter	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 20 m	Up to 20 m	Up to 20 m	Up to 30 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	-	-	-	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	13,390,000	12,320,000	14,840,000	18,810,000





Model	DS-2CE76D3T-ITPF	DS-2CE76D3T-ITMF	DS-2CE70DF3T-PF	DS-2CE72DF3T-F
Picture				
Description	2 MP Turret Camera	2 MP Ultra Low Light Fixed Turret Camera	2 MP ColorVu Fixed Turret Camera	2 MP ColorVu Fixed Turret Camera
Lens	2.8 mm, 3.6 mm, 6 mm	2.8 mm fixed lens	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.005 Lux	0.005 Lux	0.0005 Lux	0.0005 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	Ultra low light	IR Cut Filter	24/7 Color Imaging	24/7 Color Imaging
WDR	≥ 120 dB	120 dB	130 dB	130 dB
Max. IR Range	Up to 30 m	Up to 30 m	Up to 20 m	Up to 40 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color	Color
Protection Level	IP67	IP67	-	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	17,420,000	23,840,000	26,980,000	25,410,000





Model	DS-2CE16H0T-ITPF	DS-2CE78D0T-IT3FS	DS-2CE16H0T-ITF	DS-2CE16H0T-ITPFS
Picture				
Description	5 MP Fixed Bullet Camera	2 MP Audio Fixed Turret Camera	5 MP Fixed Mini Bullet Camera	5 MP Fixed Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°
Day& Night	ICR	ICR	ICR	ICR
WDR	Digital WDR	Digital WDR	DWDR	Digital WDR
Max. IR Range	Up to 20 m	Up to 40 m	Up to 20 m	Up to 25 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	17,740,000	23,840,000	18,010,000	21,420,000


Model	DS-2CE16H0T-ITPFS	DS-2CE16H0T-ITFS	DS-2CE17H0T-IT1F	DS-2CE17H0T-IT3F
Picture				
Description	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera
Lens	2.8 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm fixed focal lens	2.8 mm fixed focal lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0 to 355°, Tilt: 0 to 75°, Rotation 0 to 355°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°
Day& Night	ICR	ICR	IR Cut Filter	ICR
WDR	Digital WDR	DWDR	DWDR	DWDR
Max. IR Range	Up to 25 m	Up to 30 m IR distance	Up to 30 m IR distance	Up to 40 m IR distance
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS video output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	20,770,000	23,050,000	23,230,000	23,300,000







Model	DS-2CE17H0T-IT3F	DS-2CE17H0T-IT3FS	DS-2CE17H0T-IT5F	DS-2CE10HFT-F (3.6mm)
Picture				
Description	5 MP Fixed Bullet Camera	5 MP Fixed Bullet Camera	5 MP Fixed Turret Camera	5 MP ColorVu Fixed Mini Bullet Camera
Lens	3.6 mm fixed focal lens	2.8 mm	3.6 mm fixed lens	3.6 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.01 Lux	0.0005 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 180°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 90°, Rotation: 0 to 360°
Day& Night	ICR	IR Cut Filter	ICR	24/7 Color Imaging
WDR	DWDR	DWDR	Digital WDR	130 dB
Max. IR Range	Up to 40 m IR distance	Up to 40 m IR distance	Up to 80 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	24,100,000	29,790,000	24,460,000	34,810,000

Model	DS-2CE72HFT-F28	DS-2CE78H0T-IT1F	DS-2CE78H0T-IT3FS	DS-2CE76H0T-ITPF
Picture				
Description	5 MP ColorVu Fixed Turret Camera	5 MP Fixed Turret Camera	5 MP Audio Fixed Turret Camera	5 MP Audio Fixed Turret Camera
Lens	2.8 mm fixed lens	2.4 mm fixed lens	3.6 mm fixed lens	2.4 fixed focal lens
Min.Illumination	0.0005 Lux	0.01 Lux	0.01 Lux	0.01 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation: 0 to 360°
Day& Night	Color	ICR	ICR	ICR
WDR	130 dB	Digital WDR	Digital WDR	Digital WDR
Max. IR Range	Up to 30 m	Up to 30 m	Up to 40 m	Up to 20 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Color	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP67	IP67	IP67	-
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	40,160,000	23,860,000	25,440,000	17,410,000

Model	DS-2CE76H0T-ITMF	DS-2CE76H0T-ITMFS	DS-2CE78U8T-IT3	DS-2CE72KF0T-FS
Picture				
Description	5 MP Fixed Turret Camera	5 MP Audio Fixed Turret Camera	8 MP Turret Camera	3K ColorVu Audio Fixed Turret Camera
Lens	2.4 mm, 2.8 mm, 3.6 mm, 6 mm fixed lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens	2.8 mm, 3.6 mm, 6 mm fixed focal lens	2.8 mm fixed lens
Min.Illumination	0.01 Lux	0.01 Lux	0.003 Lux	0.001 Lux
Angle Adjustment	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°	Pan: 0 to 360°, Tilt: 0 to 75°, Rotation 0 to 360°	Pan: 0°to 360°, Tilt: 0°to 75°, Rotate: 0°to 360°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°
Day& Night	ICR	ICR	IR cut filter	24/7 Color Imaging
WDR	Digital WDR	Digital WDR	120 Db	Digital WDR
Max. IR Range	Up to 30 m	Up to 30 m	Up to 60 m	Up to 40 m
HD Video Output	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS	1 HD analog output	Switchable TVI/AHD/CVI/CVBS
BLC	Yes	Yes	Yes	Yes
Day/Night Mode	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Auto/Color/BW (Black and White)	Color
Protection Level	IP67	IP67	IP67	IP67
Power	12 VDC	12 VDC	12 VDC	12 VDC
Price	21,440,000	24,290,000	63,870,000	37,400,000

Model	DS-2CE56D0T-VFIR3F	DS-2CE79H0T-IT3ZF	DS-2AE4225TI-D
Picture			
Description	2 MP Turret Camera	5 MP Motorized Turret Camera	4-inch 2 MP Analog Speed Dome
Lens	2.8 mm to 12 mm vari-focal lens	2.7 mm to 13.5 mm motorized lens	4.8 mm to 120 mm, 25 × optical
Min.Illumination	0.01 Lux	0.01 Lux	0.005 Lux
Angle Adjustment	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	Pan: 0° to 360°, Tilt: 0° to 75°, Rotation: 0° to 360°	360° endless
Day& Night	IR cut filter	IR cut filter	IR cut filter
WDR	Digital WDR	Digital WDR	≥ 120 dB
Max. IR Range	Up to 40 m	Up to 40 m	Up to 100 m
HD Video Output	1 analog HD output (TVI only)	Switchable TVI/AHD/CVI/CVBS	Switchable TVI/AHD/CVI/CVBS
BLC	-	Yes	Yes
Day/Night Mode	Smart/color/BW(Black and White)	Smart/color/BW(Black and White)	Auto/Color/BW (Black and White)
Protection Level	IP66	IP67	IP66
Power	12 VDC	12 VDC	12 VDC
Price	<b>32,240,000</b>	<b>45,780,000</b>	<b>180,520,000</b>





Model	DS-7204HUHI-K1	DS-7204HUHI-K1/P	iDS-7204HUHI-M1/S	iDS-7204HQHI-M1/S
Picture				
Description	4-ch 5 MP 1U H.265 DVR	4-ch 5 MP 1U H.265 PoC DVR	4-ch 5 MP 1U H.265 AcuSense DVR	4-ch 1080p 1U H.265 AcuSense DVR
Analog Video Input	4-ch	4-ch	4-ch	4-ch
IP Video Input	4-ch (up to 8-ch)	4-ch (up to 8-ch)	2-ch (up to 6-ch)	1-ch (up to 5-ch)
Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
Encoding Resolution	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF	8 MP@8 fps/5 MP@12 fps/4 MP@15 fps/8 MP Lite@15 fps/3 MP@18 fps	4 MP lite/3 MP@15 fps; 1080p lite/720p lite/VGA/WD1/4CIF/CIF
HDMI Output	1-ch, ,2K (2560 × 1440)/60Hz	1-ch, ,2K (2560 × 1440)/60Hz	1-ch, 2K (2560 × 1440)/60Hz	1-ch, 1920 × 1080/60Hz
Network Interface	1, RJ45 10/100 Mbps	1, RJ45 10/100 Mbps	1, RJ45 10M/100 Mbps	1, RJ45 10M/100 Mbps
SATA	1 SATA interface	1 SATA interface	1 SATA interface	1 SATA interface
Capacity	Up to 10 TB	Up to 10 TB	Up to 10 TB	Up to 10 TB
USB Interface	2 × USB 2.0	2 × USB 2.0	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0	2 × USB 2.0
Alarm In/Out	4/1	4/1	N/A	N/A
Power Supply	12 VDC	48 VDC	12 VDC	12 VDC
Price	67,720,000	67,470,000	60,640,000	46,520,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	iDS-7204HTHI-M1/S	IDS-7208HQHI-M1/S	IDS-7208HUHI-M1/S	iDS-7208HTHI-M2/S
Picture				
Description	4-ch 4K 1U H.265 AcuSense DVR	8-ch 1080p 1U H.265 AcuSense DVR	8-ch 5 MP 1U H.265 AcuSense DVR	8-ch 4K 1U H.265 AcuSense DVR
Analog Video Input	4-ch	8-ch	8-ch	8-ch
IP Video Input	4-ch (up to 8-ch)	4-ch (up to 12-ch)	4-ch (up to 12-ch)	8-ch (up to 16-ch)
Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
Encoding Resolution	8 MP/5 MP/3K/4 MP/3 MP/1080p/720p/WD1/4CIF/VGA/CIF	4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF /VGA/,CIF,	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF /VGA/,CIF,
HDMI Output	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 1920 × 1080/60Hz	1-ch, 4K	1-ch, 4K
Network Interface	1, RJ45 10M/100M/1000M self-adaptive Ethernet interface	1, RJ45 10M/100 Mbps	1, RJ45 10M/100/1000 Mbps	1, RJ45 10M/100/1000 Mbps
SATA	1 SATA interface	1 SATA interface	1 SATA interface	2 SATA interface
Capacity	Up to 10 TB	Up to 10 TB	Up to 10 TB	Up to 10 TB
USB Interface	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0	1 × USB 2.0	1 × USB 2.0 ; 1 × USB 3.0	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 2.0
Alarm In/Out	N/A (optional to support)	N/A	N/A	N/A (optional to support)
Power Supply	12 VDC, 2 A	12 VDC	12 VDC	12 VDC, 3.33 A
Price	100,400,000	73,390,000	124,630,000	179,190,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 





Model	DS-7216HQHI-K1	DS-7216HGHI-K1	IDS-7216HUHI-M2/S	DS-7216HUHI-K2
Picture				
Description	16-ch 1080p 1U H.265 DVR	16-ch 1080p Lite 1U H.265 DVR	16-ch 5 MP 1U H.265 AcuSense DVR	16-ch 5 MP 1U H.265 DVR
Analog Video Input	16-ch	16-ch	16-ch	16-ch
IP Video Input	8-ch (up to 24-ch)	2-ch (up to 18-ch)	8-ch (up to 24-ch)	16-ch (up to 32-ch)
Video Compression	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
Encoding Resolution	4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF	1080p Lite/720p Lite/WD1/4CIF/VGA/CIF	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF	8MP/5MP/4MP/3MP/1080p/720p/WD1/4CIF/VGA/CIF
HDMI Output	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 1920 × 1080/60Hz	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz
Network Interface	1, RJ45 10M/100M/1000 Mbps	1, RJ45 10M/100M Mbps	1, RJ45 10M/100M/1000 Mbps	1, RJ45 10M/100M/1000 Mbps
SATA	1 SATA interface	1 SATA interface	2 SATA interface	2 SATA interface
Capacity	Up to 10 TB	Up to 10 TB	Up to 10 TB	Up to 10 TB
USB Interface	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0	Rear panel: 2 × USB 2.0	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0
Alarm In/Out	N/A	N/A	16/4	16/4
Power Supply	12 VDC	12 VDC	12 VDC	12 VDC
Price	121,800,000	52,070,000	192,140,000	218,730,000

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 

Model	IDS-7216HQHI-M1/S	iDS-7216HQHI-M2/S	DS-7316HUHI-F4/N	DS-7232HQHI-K2
Picture				
Description	16-ch 1080p 1U H.265 AcuSense DVR	16-ch 1080p 1U H.265 AcuSense DVR	16-ch 4K 1U H.265 AcuSense DVR	16-ch 4K 1U H.265 AcuSense DVR
Analog Video Input	16-ch	16-ch	16-ch	32-ch
IP Video Input	2-ch (up to 18-ch)	2-ch (up to 18-ch)	2-ch (up to 18-ch)	2-ch (up to 34-ch)
Video Compression	H.265 pro+	H.265 pro+	H.264+	H.265 pro+
Encoding Resolution	3K lite/5 MP lite/4 MP lite/1080p/720p/VGA/WD1/4CIF/CIF	3K lite/5 MP lite/4 MP lite/1080p/720p/VGA/WD1/4CIF/CIF	3 MP/1080p/720p/WD1/4CIF/VGA/CIF	4 MP lite/3 MP/1080p/720p/VGA/WD1/4CIF/CIF
HDMI Output	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz	1-ch, 4K (3840 × 2160)/30Hz
Network Interface	1, RJ45 10M/100M/1000 Mbps	1, RJ45 10M/100M/1000 Mbps	2, RJ45 10M/100M/1000 Mbps	1, RJ45 10M/100M/1000 Mbps
SATA	1 SATA interface	2 SATA interface	4 SATA interface	2 SATA interface
Capacity	Up to 10 TB	Up to 10 TB	Up to 6 TB	Up to 10 TB
USB Interface	1 × USB 2.0 ; 1 × USB 3.0	1 × USB 2.0 ; 1 × USB 3.0	2 × USB 2.0 ; 1 × USB 3.0	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0
Alarm In/Out	N/A	N/A	16/4	N/A
Power Supply	12 VDC	12 VDC	100 to 240 VAC	12 VDC, 4.5 A
Price	124,090,000	154,400,000	447,270,000	267,320,000


☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 



<b>Model</b>	<b>iDS-7232HQHI-M2/S</b>
<b>Picture</b>	
<b>Description</b>	32-ch 1080p 1U H.265 AcuSense DVR
<b>Analog Video Input</b>	32-ch
<b>IP Video Input</b>	2-ch (up to 34-ch)
<b>Video Compression</b>	H.265 Pro+/H.265 Pro/H.265/H.264+/H.264
<b>Encoding Resolution</b>	4 MP lite/3 MP/1080p lite/720p lite/VGA/WD1/4CIF/CIF
<b>HDMI Output</b>	1-ch, 4K (3840 × 2160)/30Hz
<b>Network Interface</b>	1, RJ45 10M/100M/1000 Mbps
<b>SATA</b>	2 SATA interface
<b>Capacity</b>	Up to 10 TB
<b>USB Interface</b>	Front panel: 1 × USB 2.0 Rear panel: 1 × USB 3.0
<b>Alarm In/Out</b>	N/A
<b>Power Supply</b>	12 VDC, 5 A
<b>Price</b>	<b>204,800,000</b>

☎ ۰۲۱-۹۱۰۰۶۰۰۸

☎ ۰۲۱-۶۶۳۴۲۴۶۶

www.atineh.com 

تهران، خیابان بخارست، کوچه ششم غربی، پلاک 1، واحد 16 